



Full C.T. orange

Converts daylight (6500K) to tungsten light (3200K).

Transmission Y	55.4 %
x	0.437
y	0.392
Absorption	0.26

Source C: Colour Temperature 6774K

Convert daylight to a tungsten light.

ROLLS

1" Core 7.62m x 1.22m (25' x 48")

2" Core 7.62m x 1.22m (25' x 48")

Wide Roll 6.10m x 1.52m (20' x 60")

Quick Roll Up to 1.17m (46") x 7.62m (25') long.

SHEETS

Full Sheet 1.22m x 0.53m (48" x 21")

Half Sheet 0.61m x 0.53m (24" x 21")

204



Half C.T. orange

Converts daylight (6500K) to tungsten light (3800K)

Transmission Y	70.8 %
x	0.374
y	0.364
Absorption	0.15

Source C: Colour Temperature 6774K

Convert daylight to a tungsten light.

ROLLS

1" Core 7.62m x 1.22m (25' x 48")

2" Core 7.62m x 1.22m (25' x 48")

Wide Roll 6.10m x 1.52m (20' x 60")

Quick Roll Up to 1.17m (46") x 7.62m (25') long.

SHEETS

Full Sheet 1.22m x 0.53m (48" x 21")

Half Sheet 0.61m x 0.53m (24" x 21")

205



Double C.T. Blue

Converts tungsten (3200K) to daylight (26000K)

Transmission Y	16.2 %
x	0.179
y	0.155
Absorption	0.79

Source C: Colour Temperature 6774K

Converts a tungsten light source to daylight.

ROLLS

1" Core 7.62m x 1.22m (25' x 48")

2" Core 7.62m x 1.22m (25' x 48")

Quick Roll Up to 1.17m (46") x 7.62m (25') long.

SHEETS

Full Sheet 1.22m x 0.53m (48" x 21")

Half Sheet 0.61m x 0.53m (24" x 21")

200

Half C.T. Blue

Converts tungsten (3200K) to daylight (4300K).

Transmission Y	54.9 %
x	0.261
y	0.273
Absorption	0.26

Source C: Colour Temperature 6774K

Converts a tungsten light source to daylight.

ROLLS

1" Core 7.62m x 1.22m (25' x 48")

2" Core 7.62m x 1.22m (25' x 48")

Quick Roll Up to 1.17m (46") x 7.62m (25') long.

SHEETS

Full Sheet 1.22m x 0.53m (48" x 21")

Half Sheet 0.61m x 0.53m (24" x 21")